Walnut Millennium Toilet Seat - O142M



NO.	Description	Product Code	Fixings included	Gross Weight	Seat Weight
1	Walnut Millennium Toilet Seat	O142M	YES	3.1kg	





Spares Codes

Spare Hinges (pair) - TSP0284 Hing Fixing Pack - TSP0287 Lid Buffer - SP10775 Ring Buffer - SP10554

DIMENSIONS

DIAGRAMS NOT TO SCALE | ALL DIMENSIONS IN MM | TOLERANCE OF \pm 5MM ALL PROCUCTS CONFORM TO THE BRITISH FIXING STANDARDS





*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

FAQs

Q - What's the maximum test load of the seat?

A - 150kg

Q - What are the hinges made from?

A - Chrome plated brass

Q - What is the substrate?

A - Real American Walnut Veneer on MDF

Key Dimensions Descriptions	Key Dimensions (mm)
Seat/Lid Front to Back	430mm
Seat/Lid Left to Right	366mm
Ring Hole Front to Back	270mm
Ring Hole Left to Right	223mm
Seat Ring Thickness	15mm
Min/Max Adjustment for Fixings	142/172, 435/457

Gloss White Millennium Toilet Seat - O108M




NO.	Description	Product Code	Fixings included	Gross Weight	Seat Weight
1	Gloss White Millennium Toilet Seat	O108M	YES	4.1kg	N/A




Spares Codes

Spare Hinges (pair) - TSP0284 Hing Fixing Pack - TSP0287 Lid Buffer - SP16947 Ring Buffer - SP10529

DIMENSIONS





*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

FAQs

Q - What's the maximum test load of the seat?

A - 150kg

Q - What are the hinges made from?

A - Chrome plated brass

Q - What is the substrate?

A - White PU painted moulded MDF

Key Dimensions Descriptions	Key Dimensions (mm)
Seat/Lid Front to Back	430mm
Seat/Lid Left to Right	366mm
Ring Hole Front to Back	270mm
Ring Hole Left to Right	223mm
Seat Ring Thickness	15mm
Min/Max Adjustment for Fixings	142/172, 435/457

Limed Oak Millennium Toilet Seat - O107M




NO.	Description	Product Code	Fixings included	Gross Weight	Seat Weight
1	Limed Oak Millennium Toilet Seat	O107M	YES	3.1kg	N/A




Spares Codes

Spare Hinges (pair) - TSP0284 Hing Fixing Pack - TSP0287 Lid Buffer - SP18145 Ring Buffer - SP18146

DIMENSIONS





*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

FAQs

Q - What's the maximum test load of the seat?

A - 150kg

Q - What are the hinges made from?

A - Chrome plated brass

Q - What is the substrate?

A - White oak Veneer on MDF

Key Dimensions Descriptions	Key Dimensions (mm)
Seat/Lid Front to Back	430mm
Seat/Lid Left to Right	366mm
Ring Hole Front to Back	270mm
Ring Hole Left to Right	223mm
Seat Ring Thickness	15mm
Min/Max Adjustment for Fixings	142/172, 435/457

Antique Pine Millennium Toilet Seat - O104M




NO.	Description	Product Code	Fixings included	Gross Weight	Seat Weight
1	Antique Pine Millennium Toilet Seat	O104M	YES	3.1kg	N/A




Spares Codes

Spare Hinges (pair) - TSP0284 Hing Fixing Pack - TSP0287 Lid Buffer - SP10777 Ring Buffer - SP10776

DIMENSIONS





*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

FAQs

Q - What's the maximum test load of the seat?

A - 150kg

Q - What are the hinges made from?

A - Chrome plated brass

Q - What is the substrate?

A - Pine Veneer on MDF

Key Dimensions Descriptions	Key Dimensions (mm)
Seat/Lid Front to Back	430mm
Seat/Lid Left to Right	366mm
Ring Hole Front to Back	270mm
Ring Hole Left to Right	223mm
Seat Ring Thickness	15mm
Min/Max Adjustment for Fixings	142/172, 435/457

Mahogany Millennium Toilet Seat - O142M




NO.	Description	Product Code	Fixings included	Gross Weight	Seat Weight
1	Mahogany Millennium Toilet Seat	O103M	YES	3.1kg	N/A




Spares Codes

Spare Hinges (pair) - TSP0284 Hing Fixing Pack - TSP0287 Lid Buffer - SP10775 Ring Buffer - SP10554

DIMENSIONS





*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

FAQs

- Q What's the maximum test load of the seat?
- A 150kg
- Q What are the hinges made from?
- A Chrome plated brass
- Q What is the substrate?
- A Stained pine Veneer on MDF

Key Dimensions Descriptions	Key Dimensions (mm)
Seat/Lid Front to Back	430mm
Seat/Lid Left to Right	366mm
Ring Hole Front to Back	270mm
Ring Hole Left to Right	223mm
Seat Ring Thickness	15mm
Min/Max Adjustment for Fixings	142/172, 435/457

Beech Millennium Toilet Seat - O140M



NO.	Description	Product Code	Fixings included	Gross Weight	Seat Weight
1	Beech Millennium Toilet Seat	O140M	YES	3.1kg	N/A





Spares Codes

Spare Hinges (pair) - TSP0284 Hing Fixing Pack - TSP0287 Lid Buffer - SP18146 Ring Buffer - SP18145

DIMENSIONS

DIAGRAMS NOT TO SCALE | ALL DIMENSIONS IN MM | TOLERANCE OF \pm 5MM ALL PROCUCTS CONFORM TO THE BRITISH FIXING STANDARDS





*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

FAQs

- Q What's the maximum test load of the seat?
- A 150kg
- Q What are the hinges made from?
- A Chrome plated brass
- Q What is the substrate?
- A Beech Veneer on MDF

Key Dimensions Descriptions	Key Dimensions (mm)
Seat/Lid Front to Back	430mm
Seat/Lid Left to Right	366mm
Ring Hole Front to Back	270mm
Ring Hole Left to Right	223mm
Seat Ring Thickness	15mm
Min/Max Adjustment for Fixings	142/172, 435/457

Natural Oak Millennium Toilet Seat - O141M

TAVISTOCK


NO.	Description	Product Code	Fixings included	Gross Weight	Seat Weight
1	Natural Oak Millennium Toilet Seat	O141M	YES	3.1kg	N/A




Spares Codes

Spare Hinges (pair) - TSP0284 Hing Fixing Pack - TSP0287 Lid Buffer - SP18146 Ring Buffer - SP18145

DIMENSIONS





*Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

FAQs

Q - What's the maximum test load of the seat?

A - 150kg

Q - What are the hinges made from?

A - Chrome plated brass

Q - What is the substrate?

A - White Oak Veneer on MDF

Key Dimensions Descriptions	Key Dimensions (mm)	
Seat/Lid Front to Back	430mm	
Seat/Lid Left to Right	366mm	
Ring Hole Front to Back	270mm	
Ring Hole Left to Right	223mm	
Seat Ring Thickness	15mm	
Min/Max Adjustment for Fixings	142/172, 435/457	