

TECHNICAL DATA SHEET

LEAP PRO MIRRORS

BOX CONTENTS:

LEAP PRO Mirror | Instructions booklet | Fixings – SP14924

FAQ's	Units	LPM050	LPM060	LPM100
Can the mirror be hung landscape?	-	Y	Y	Y
Does this mirror have frosting?		Yes, 7mm wide		
What is the thickness of the mirror glass?	mm	4mm		
Where is the switch sensor located?	-	Bottom Centre	Bottom centre	Bottom Right (landscape) Bottom Left (Portrait)
Is this mirror IP44 Rated?	-	Yes – Suitable for use in bathroom zone 2		
Can the LED lighting be replaced?	-	No		
Can the switch sensor be replaced?	-	Yes		
What size fuse should I use?	-	Seek the advice of an electrician		
How do I turn on the demister pad?	-	Press the right touch sensor with the demister icon, touch sensor will turn red when on. Demister automatically turns off after 30 minutes. See user manual for more information..		
Are illuminated cabinets/mirrors supplied with mains cable?	-	All illuminated cabinets/mirrors are supplied with a removeable 500mm mains cable. There is ample storage for excess cable in the back of the unit.		

ELECTRICAL SPECIFICATION


	Input Voltage	Lamp Type	Total Wattage (W)	Demist (W)	Demist Size (mm)	LEDs (W)	Shaver Socket (W)	UBS Port (W)	LED (lm)	Energy Rating	CCT (K)	CRI	IP Rating	Electrical Class
LPM050	220-240V 50Hz	12V DC LED Lamp	103.2	19.3	250*350	28.7	19.2	36	2592	F	3000-6000	80	IP44	Class I
LPM060	220-240V 50Hz	12V DC LED Lamp	118.0	26.4	300*400	36.4	19.2	36	3024	G	3000-6000	80	IP44	Class I
LPM100	220-240V 50Hz	12V DC LED Lamp	130.6	39.6	300*600	35.8	19.2	36	3492	F	3000-6000	80	IP44	Class I

TECHNICAL DATA SHEET


ROPER RHODES®

TECHNICAL DRAWINGS


LPM050



LPM0060



LPM100



MATERIALS

Aluminium Frame

4mm Glass, PVC Backed

Please note:

- Dimensions are subject to change. Customers are advised to measure actual product dimensions before commencing installation.
- Fixing point dimensions are for guidance only/the positions of wall fixing must be checked when product is received.
- The LED (lm) values represent the output of the LED. Actual product level Lumen output may vary depending on the diffuser material i.e., glass or acrylic.