# ROPER RHODES®

Recite 2F Concealed shower Valve CH - SV4006

No.	Description	Code	Fixings Included
1	Recite 2F Concealed shower Valve CH	SV4006	YES



#### FLOW RATE DATA IS TESTED UNDER LABORATORY CONDITIONS: ACTUAL FLOW RATE MAY VARY DEPENDING ON DOMESTIC SUPPLY AND ACCESSORIES

Minimum Pressure:	1BAR
Inlet Pressure	Flow Rate (l/min)
1bar	11.6
2bar	17
3bar	21

## Dimensions - SV4006

Diagrams not to scale. All dimensions in mm (tolerance of +/-5mm)

### FAQs

What is included in the valve box? The valve, a cover plate, a set of handles and trim rings.

What is the size of the connections? The valve uses 1/2" connections.

What is the recomended operating pressure? 1.0bar

Components Valve - RR18

Chrome Valve Plate - SVCOMP6 Chrome Valve Handle - SVHANREC

# ROPER RHODES®

Recite 2F Concealed shower Valve Black - SV4015

No.	Description	Code	Fixings Included
1	Recite 2F Concealed shower Valve CH	SV4015	YES



#### FLOW RATE DATA IS TESTED UNDER LABORATORY CONDITIONS: ACTUAL FLOW RATE MAY VARY DEPENDING ON DOMESTIC SUPPLY AND ACCESSORIES

Minimum Pressure:	1BAR
Inlet Pressure	Flow Rate (l/min)
1bar	11.6
2bar	17
3bar	21

## Dimensions - SV4015

Diagrams not to scale. All dimensions in mm (tolerance of +/-5mm) 58 140 90 (# ſ١ Яſ 162 S 86 5 63 COLD  $\square$ 4 76 46

### FAQs

What is included in the valve box? The valve, a cover plate, a set of handles and trim rings.

What is the size of the connections? The valve uses 1/2" connections.

What is the recomended operating pressure? 1.0bar

Valve - RR19

Components

Chrome Valve Plate - SVCOMP16

Chrome Valve Handle - SVHANREC.B

# ROPER RHODES®

Recite 2F Concealed shower Valve CH - SV4019

No.	Description	Code	Fixings Included
1	Recite 2F Concealed shower Valve Brass	SV4019	YES




#### FLOW RATE DATA IS TESTED UNDER LABORATORY CONDITIONS: ACTUAL FLOW RATE MAY VARY DEPENDING ON DOMESTIC SUPPLY AND ACCESSORIES

Minimum Pressure:	1BAR
Inlet Pressure	Flow Rate (I/min)
1bar	11.6
2bar	17
3bar	21

## Dimensions - SV4019

Diagrams not to scale. All dimensions in mm (tolerance of +/-5mm)



### FAQs

What is included in the valve box? The valve, a cover plate, a set of handles and trim rings.

What is the size of the connections? The valve uses 1/2" connections.

What is the recomended operating pressure? 1.0bar

Valve - RR20

Components

Brass Valve Plate - SVCOMP17

Brass Valve Handle - SVHANREC.BR

# ROPER RHODES<sup>®</sup>

Recite 2F Concealed shower System Chrome - SVSET153

No.	Description	Code	Fixings Included
1	Recite 2F Concealed shower System Chrome	SVSET153	YES
		FLOW RATE D	ATA IS TESTED UNDER




#### FLOW RATE DATA IS TESTED UNDER LABORATORY CONDITIONS: ACTUAL FLOW RATE MAY VARY DEPENDING ON DOMESTIC SUPPLY AND ACCESSORIES

Minimum Pressure:	1BAR
Inlet Pressure	Flow Rate (l/min)
1bar	11.6
2bar	17
3bar	21

## **Dimensions - SVSET153**

Diagrams not to scale. All dimensions in mm (tolerance of +/-5mm)



### FAQs

What is the size of the connections? The valve uses 1/2" connections.

Can I have both shower options on at the same time? Yes

What size Pipework do i need? 15mm

Is it suitable for stud walls? It is recomended you use CLS size 89mm depth within the wall

Does the valve include isolation points? Yes

What is the recomended operating pressure? 1.0bar

## Components

Valve - RR18 Chrome Shower Plate - SVCOMP6 Chrome Valve Handle - SVHANREC Riser Rail - SVRAIL11 Handset - SVHEAD45 Easy Clean PVC shower Hose - SVHOSE02 Brass Wall Elbow - SVACS06 Fixed Arm - SVARM05 Stainless Steel Shower Head - SVHEAD15

# **ROPER RHODES**<sup>®</sup>

Recite 2F Concealed shower System Black - SVSET165

No.	Description	Code	Fixings Included
1	Recite 2F Concealed shower System Black	SVSET165	YES
		LABORATORY CO	ATA IS TESTED UNDER NDITIONS: ACTUAL FLOW




# RATE MAY VARY DEPENDING ON DOMESTIC SUPPLY AND ACCESSORIES

Minimum Pressure:	1BAR
Inlet Pressure	Flow Rate (l/min)
1bar	11.6
2bar	17
3bar	21

## **Dimensions - SVSET165**

Diagrams not to scale. All dimensions in mm (tolerance of +/-5mm)



### FAQs

What is the size of the connections? The valve uses 1/2" connections.

Can I have both shower options on at the same time? Yes

What size Pipework do i need? 15mm

Is it suitable for stud walls? It is recomended you use CLS size 89mm depth within the wall

Does the valve include isolation points? Yes

What is the recomended operating pressure? 1.0bar

## Components

Valve - RR19 Black Shower Plate - SVCOMP16 Black Valve Handle - SVHANREC.B Riser Rail - SVRAIL13 Handset - SVHEAD51 Easy Clean PVC shower Hose - SVHOSE04 Black Wall Elbow - SVACS26 Fixed Arm - SVARM14 Stainless Steel Shower Head - SVHEAD50

# ROPER RHODES®


Recite 2F Concealed shower System Brass - SVSET174

No.	Description	Code I	-ixings Included
1	Recite 2F Concealed shower System Brass	SVSET174	YES
		LABORATORY CONDI RATE MAY VARY DEPI	IS TESTED UNDER TIONS: ACTUAL FLOW ENDING ON DOMESTIC ACCESSORIES
		Minimum Pressure:	1BAR

Minimum Pressure:	IDAR	
Inlet Pressure	Flow Rate (l/min)	
1bar	11.6	
2bar	17	
3bar	21	

# **Dimensions - SVSET174**

Diagrams not to scale. All dimensions in mm (tolerance of +/-5mm)



#### FAQs

What is the size of the connections? The valve uses 1/2" connections.

Can I have both shower options on at the same time? Yes

What size Pipework do i need? 15mm

Is it suitable for stud walls? It is recomended you use CLS size 89mm depth within the wall

Does the valve include isolation points? Yes

What is the recomended operating pressure? 1.0bar

## Components

Valve - RR20 Black Shower Plate - SVCOMP17 Black Valve Handle - SVHANREC.BR Riser Rail - SVRAIL15 Handset - SVHEAD55 Shower Hose - SVHOSE05 Brass Wall Elbow - SVACS28 Fixed Arm - SVARM15 Stainless Steel Shower Head - SVHEAD54